UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/690,153	10/21/2003	Scott Damian Murphy		3440
Scott D. Murphy 3272 Rosemary Lane			EXAMINER	
			TRAN, NHAN T	
West Friendship, MD 21794			ART UNIT	PAPER NUMBER
			2622	
		*	MAIL DATE	DELIVERY MODE
		•	09/25/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/690,153	MURPHY, SCOTT DAMIAN			
Office Action Summary	Examiner	Art Unit			
	Nhan T. Tran	2622			
The MAILING DATE of this communicate Period for Reply	ation appears on the cover sheet wi	th the correspondence address			
A SHORTENED STATUTORY PERIOD FOR WHICHEVER IS LONGER, FROM THE MAI - Extensions of time may be available under the provisions of after SIX (6) MONTHS from the mailing date of this communi - If NO period for reply is specified above, the maximum statut - Failure to reply within the set or extended period for reply will Any reply received by the Office later than three months after earned patent term adjustment. See 37 CFR 1.704(b).	LING DATE OF THIS COMMUNION OF	CATION. eply be timely filed THS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed	on <u>21 October 2003</u> .				
2a) This action is FINAL . 2b	This action is FINAL . 2b)⊠ This action is non-final.				
3) Since this application is in condition for		•			
closed in accordance with the practice	under Ex parte Quayle, 1935 C.D	e. 11, 453 O.G. 213.			
Disposition of Claims	,				
4)	withdrawn from consideration.				
Application Papers					
9) The specification is objected to by the E 10) The drawing(s) filed on 21 October 200 Applicant may not request that any objection Replacement drawing sheet(s) including the sheet of th	0.3 is/are: a) \square accepted or b) \square on to the drawing(s) be held in abeyance correction is required if the drawing	ce. See 37 CFR 1.85(a). (s) is objected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for a) All b) Some * c) None of: 1. Certified copies of the priority do	ocuments have been received. Ocuments have been received in A Ocuments have been	pplication No received in this National Stage			
Attachment(s)					
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTC 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 	0-948) Paper No(s	Summary (PTO-413) s)/Mail Date nformal Patent Application 			

DETAILED ACTION

Claim Objections

1. Claim 8 is objected to because of the recitation of "**the** said sequential images create**s** a video image stream" which should be corrected to read as -- said sequential images create a video image stream --. Appropriate correction is required.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-6, 8-13, 15-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over LeCompte (US 6,271,877).

Regarding claim 1, LeCompte discloses an imaging system (Figs. 3-9) configured to be deployed on a satellite (i.e., 300, 314) in Low Earth Orbit (see col. 5, line 45 – col. 6, line 42), comprising:

one or more imaging sensors (CCD arrays in 405 shown in Fig. 4) that are individually configured to be controlled by a pointing mechanism (optical & scan system 403 in combination with controller 401 shown in Fig. 4), via electrical signals, through at least two axes of motion namely rotation or translation or depth of field (see col. 6, lines

16-23 and col. 13, lines 12-16, 30-34) and, a controller sub-system (403) that receives commands from the onboard computer (401) and communication system (whole system shown in Fig. 4) and generates control signals that control actuators (actuators to drive glimbal mounted mirror) that control said image sensors (col. 13, lines 30-34) and, an onboard image processing system (combined units 407, 409, 411, 413, 415 shown in Fig. 4) wherein the said image data is prepared using, but not limited to, digital imagery compression techniques (i.e., MPEG 2) for transfer to the onboard communication system (see col. 14, lines 14-36) and, an onboard communication system (telemetry system 417 shown in Fig. 4) that can transmit the image stream to a remote transceiving station (i.e., ground station) that may be located on the ground, in the atmosphere (see col. 14, lines 14-36 and col. 12, line 41 – col. 13, line 3), and a remote transceiving station system (ground station) that is connected directly to the internet and can distribute said downlinked image data throughout the internet infrastructure as well as uplink the said image sensor's control commands (col. 12, line 41 – col. 13, line 3 and col. 14, line 14-20).

Although LeCompte does not explicitly disclose that said imaging sensors producing images sequentially and in temporal frequency at a rate faster than three images per second, LeCompte suggests that said imaging sensors producing images sequentially and in temporal frequency at a rate one frame/sec or <u>faster</u> (col. 20, lines 39-40).

Therefore, it would have been obvious to one of ordinary skill in the art to construct the imaging system in the satellite such that the imaging sensors would be

Application/Control Number: 10/690,153

Art Unit: 2622

able to produce images sequentially and in temporal frequency at a rate faster than three images per second in recognizing from LeCompte's suggestion above so as to enable capturing of smoother motion of continuous images in real-time.

Regarding claim 2, as shown in Figs. 4 & 8 of LeCompte, the image sensors are configured on a common platform that is subordinate to the spacecraft structure (col. 6, lines 16-23 and col. 18, lines 1-50).

Regarding claim 3, it is clear in LeCompte that said common platform is configured to allow for multiple viewing angles and field of views (see col. 15, line 41-56 and col. 13, lines 30-34).

Regarding claim 4, as seen in col. 13, lines 30-34 and col. 15, lines 41-56, said common platform is separately controlled, activated and deployed.

Regarding claim 5, LeCompte also discloses that said image sensors are mounted directly on spacecraft primary or secondary structure (see Figs. 4 & 8 and col. 13, lines 30-34 and col. 15, lines 41-56).

Regarding claim 6, since there are at least two image sensors (col. 15, lines 41-56), each is driven by optical & scan system (403) for moving the optical system of each

Application/Control Number: 10/690,153

Art Unit: 2622

image sensor in different axes (Fig. 4, col. 13, lines 30-34), LeCompte also anticipates one or more redundant drive actuators for each axis of movement.

Regarding claim 8, LeCompte further discloses that said sequential images create a video image stream (col. 20, lines 39-40 and col. 14, lines 31-36).

Regarding claim 9, LeCompte clearly discloses that said image stream data is processed and compressed (i.e., MPEG 2) by some factor to reduce image data quantity (see col. 14, lines 31-36).

Regarding claim 10, as shown in Fig. 4 and col. 14, lines 14-36, said image stream is sent to the onboard communication system.

Regarding claim 11, it is also clear that the image stream is downlinked to a remote transceiving station (ground station shown in Fig. 4; col. 14, lines 15-20 and col. 12, lines 41-65).

Regarding claim 12, LeCompte discloses that the image stream is sent to an onboard data storage device (see Figs. 4 & 9 for buffer and RAM for storing image stream).

Regarding claim 13, this claim is also met by the analysis of claim 1.

Regarding claim 15, as shown in Fig. 8 of LeCompte, the image sensor subsystem is inherently protected by the satellite structure to prevent internal component impact.

Regarding claim 16, LeCompte further discloses that the remote transceiving station (ground station shown in Fig. 4) comprising: a receiving antenna and, a receiver (for receiving downlink from the satellite) and, a data handling system (inherent controller or processor of ground station) and, a local data storage device (RAM or memory of ground station) and, an internet link and, a power system and, a transmitter and, a transmitting antenna and, an antenna pointing system (see Figs. 3 & 4 and col. 12, line 41 – col. 13, line 3 and col. 14, lines 14-20).

Regarding claim 17, LeCompte further discloses that each image sensor is controlled by electronic shutter for controlling exposure and/or frame rate which represents a photon input modifying apparatus (see col. 15, lines 56-64 and col. 13, lines 43-46).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

3. Claims 7, 14 & 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over LeCompte (US 6,271,877) in view of Katsuyama et al. (US 5,460,341).

Regarding claim 7, although LeCompte discloses that the imaging system comprising a mechanism for adjusting the image sensor's field of view (col. 13, lines 13-17), LeCompte does not fairly teach that the image sensor's depth of focus is also altered.

However, it is well recognized by Katsuyama that an image sensor's depth of focus of a camera located on a spacecraft is adjusted by a compensation system for compensating the camera due to temperature changes, positioning errors or vibrations ascribable to launching, etc., so that the imaging system is maintained at an optimal condition for capturing high image quality (see Katsuyama, col. 1, lines 5-18, 55-64).

Therefore, it would have been obvious to one of ordinary skill in the art to modify the imaging system in LeCompte to implement the mechanism for altering the image sensor's depth of focus to compensate disturbance caused by temperature changes, positioning errors or vibrations ascribable to launching so as to maintain the imaging system at an optimal condition for capturing high image quality as suggested by Katsuyama.

Regarding claim 14, see the analysis of claim 7, wherein the compensation system for compensating the optical system due to temperature changes represents a thermal control apparatus for said image sensor subsystem.

Regarding claim 18, although LeCompte and Katsuyama are silent about an aperture modulator, an Official Notice is taken that it is old and well known in the art for a camera to include an aperture modulator for regulating incident light impinging on the image sensor so as to better control exposure. Therefore, it would have been obvious to one of ordinary skill in the art to provide an aperture modulator in the combined imaging system of LeCompte and Katsuyama for better control exposure by regulating incident light impinging on the image sensor.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nhan T. Tran whose telephone number is (571) 272-7371. The examiner can normally be reached on Monday - Friday, 8:00am - 4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Ometz can be reached on (571) 272-7593. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/690,153

Art Unit: 2622

Page 9

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Patent Examiner